

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12098	random\$7 near4 bit\$2	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L3	6690	(generat\$5 compos\$4 produc\$4 creat\$4) near5 (bit\$2) near5 (sequenc\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L4	138629	(read\$4 execut\$4 determin\$7 perform\$7) near7 bit\$2	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L5	35720	(select\$4 determin\$7 match\$4 compar\$5) near4 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L6	543	L3 and L5	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L7	7810	L2 and L4	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L8	54627	(determin\$7 direction\$1 decid\$4 match\$4 compar\$5) near4 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L9	16667	(sequence\$2 bit\$2) near8 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L10	868	L3 and L9	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L11	309	L10 and L8	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L12	128	L7 and L6	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L13	49	(select\$4 determin\$7 deriv\$4 ) near7 (offset\$3 off-set\$1\$3 (off adj2 set\$1)) near4 cursor\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L14	54771	(match\$4 compar\$5) near7 bit\$2	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L15	54	(select\$4 determin\$7 match\$4 compar\$5) near7 (offset\$3 off-set\$1\$3 (off adj2 set\$1)) near4 cursor\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L16	2	L15 and L14	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L17	0	L16 and (encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L18	2236	encod\$3 near8 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:55
L19	867	L18 and L5	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L20	52	L19 and seed\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09

## EAST Search History

L21	45	L20 and (fingerprint\$3 (finger near2 print\$3) biometric\$4 retinal\$1 fac\$5)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L22	31	L21 and L3	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L23	25	L22 and L2	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L24	25	L23 and L5	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L25	43	L12 and (seed\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L26	25	L24 and (encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L27	8605	((713/100) or (713/165) or (713/167) or (713/170) or (713/187) or (713/189) or (713/193) or (711/155) or (711/163) or (711/205) or (711/206) or (713/207) or (726/2) or (726/5) or (726/27) or (380/262) or (380/267) or (380/268) or (380/37) or (380/28) or (380/29) or (380/30)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L28	1001	L14 and L27	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L29	78	L28 and L3	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L30	2235	(encrypt\$4 encipher\$8 cipher\$ encod\$3) near7 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L31	2	L29 and L30	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L32	40	L25 and (encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L33	1448	encod\$3 near4 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L34	1	L32 AND L33	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L35	646	(modif\$9 chang\$3 alter\$3 different\$2) near5 (offset\$1 off-set\$1) near3 (bit\$2 sequenc\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L36	24	L11 and L35	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L37	14	L36 and (encod\$3)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L38	12	L37 and (fingerprint\$3 (finger near2 print\$3) biometric\$4 retinal\$1 fac\$5)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09

## EAST Search History

L40	12	L38 and (storage\$1 database\$1 table\$1 list\$3 director\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:09
L42	8	L40 and (hash\$3 ip address\$3 mac guid)	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:55
L43	8	L42 and insert\$4	USPAT; IBM_TDB	OR	OFF	2007/09/12 16:55
L44	186	insert\$4 near8 (determin\$4 known prestor\$4 pre-stor\$4 preknown pre-known correspond\$4 pre-determin\$5 store\$1 preset\$3 pre-set\$4) near5 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 17:09
L45	73027	(generat\$4 compos\$4 develop\$4 mak\$4 within in encod\$4 string\$1) near5 row\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 17:02
L47	19	(generat\$4 compos\$4 develop\$4 mak\$4 within in) near5 row\$1 near8 (encod\$4) near9 (sequence\$1 string\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:11
L48	0	l44 and l47	USPAT; IBM_TDB	OR	OFF	2007/09/12 17:04
L49	882	(generat\$4 compos\$4 develop\$4 mak\$4 within in) near5 row\$1 near8 (encod\$4 string\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 17:08
L51	4	l44 and l45	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:17
L53	407	(generat\$4 compos\$4 develop\$4 mak\$4) near5 row\$1 near8 (encod\$4 string\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 17:09
L54	7146	insert\$4 near8 (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 17:09
L57	2	row\$1 with insert\$4 with (offset\$3 off-set\$1\$3 (off adj2 set\$1)) with (encod\$4 string\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 19:04
L59	6	l47 and insert\$4	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:11
L63	3	(generat\$4 compos\$4 develop\$4 mak\$4 within in) SAME insert\$4 SAME row\$1 SAME (encod\$4 encrypt\$4) SAME (sequence\$1 string\$1) SAME (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:14
L66	1	l63 and cursor\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:14
L67	2	l51 and encod\$4	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:17
L68	1	l67 and cursor\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:23

## EAST Search History

L69	73	cursor\$1 with (match compar\$9) with (bit\$1 byte\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:31
L70	34	l69 and generat\$4 and encod\$4	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:24
L71	24	l70 and insert\$4	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:24
L72	13	l71 and (insert\$4 with (offset\$3 off-set\$1\$3 (off adj2 set\$1)))	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:25
L73	2	l72 and row\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:25
L74	1	cursor\$1 with (match compar\$9) with (bit\$1 byte\$1) with (offset\$3 off-set\$1\$3 (off adj2 set\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 18:32
L75	0	row\$1 with insert\$4 with (offset\$3 off-set\$1\$3 (off adj2 set\$1)) with (encod\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 19:04
L76	14	row\$1 same insert\$4 same (offset\$3 off-set\$1\$3 (off adj2 set\$1)) same (encod\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 19:17
L77	2	l76 same generat\$4	USPAT; IBM_TDB	OR	OFF	2007/09/12 19:05